

COMMERCIAL WALL HYDRANTS MOST RELIABLE. MOST SPECIFIED.



COMMERCIAL WALL HYDRANTS

MODEL 67 FREEZELESS | ANTI-BURST | AUTOMATIC DRAINING



- Best-selling, most-specified commercial wall hydrant in America
- Includes high-flow, double-check, fieldtestable 50HA backflow preventer
- ASSE 1052 listed

MODEL 68 UNDERCOVER HYDRANT

FREEZELESS | ANTI-BURST | AUTOMATIC DRAINING



- Includes commercial wall hydrant with 16 ga. integrated stainless steel, flip-down cover
- Lockable with tee key (included)
- Sleek profile; protrudes one inch
- ASSE 1053 listed



MODEL HC67

HOT/COLD | FREEZELESS | ANTI-BURST | AUTOMATIC DRAINING



- Commercial hot/cold hydrant
- Includes high-flow, double-check, field-testable 50HA backflow preventer
- Optional chrome-plated brass box



- Ideal for cleaning sidewalks, trash cans, etc.
- No sprayback
- ASSE 1052 listed

MODEL 26 MILD CLIMATE



- Clear polycarbonate handle
- Includes high-flow, double-check, field-testable 50HF backflow preventer
- Tee key included
- ASSE 1052 listed

BOX ASSEMBLIES DF TO R D

B67 RECTANGULAR BOX AND DOOR



- Chrome-plated, heavy-duty cast brass rectangular box
- Contains Woodford Model 67
- Locks with tee key (standard). Traditional key also available

RB67 ROUND BOX AND DOOR



- Chrome-plated, heavy-duty cast brass round box
- Contains Woodford Model 67
- Fits 6" diameter standard cored hole
- Locks with tee key (standard). Cylinder lock also available

MB67 COMPOSITE BOX STAINLESS STEEL DOOR AND FASCIA





- Lightweight, high-impact composite box
- 14 ga. replaceable steel door and fascia
- Contains Woodford Model 67
- Locks with tee key (standard). Cylinder lock also available











RHY2-MS AUTOMATIC DRAINING ROOF HYDRANT Pipes to interior drain location to prevent freezing

- Automatically drains when hydrant is shut off—even with a hose attached; no effort required to drain properly
- Includes ASSE 1052 Model 50HF, field-testable backflow preventer
- Includes heavy-duty cast iron mounting system
- ASSE 1052 listed



SRH-MS SANITARY ROOF HYDRANT

- No drain line required
- When hose is removed, a venturi action draws water out of internal reservoir and discharges through outlet in order to winterize
- Includes ASSE 1052 Model 50HF, field-testable backflow preventer
- Includes heavy-duty cast iron mounting system
- ASSE 1057 listed



2121 Waynoka Road Colorado Springs, CO 80915 719.574.1101 www.woodfordmfg.com



WOODFORD MANUFACTURING COMPANY, LLC.

Excellence. Always.

Patented and Patents Pending
Visit woodfordmfg.com for current pricing CommWallHydrants 5-21
©Woodford Manufacturing Company, LLC. 2021 Printed in U.S.A.