




Mild Climate Wall Faucets



Choose a close connection Mild Climate wall faucet for non-freezing environments.

Model 101 Residential Wall Faucet

Anti-siphon protection with integral check valve and atmospheric vent are all built-in to make the Model 101 the right choice to meet code and architectural aesthetics.

Model 122 & V122 Hot & Cold Residential Wall Faucet

Provide hot and cold water to wash the car, the windows or the dog. Choose Horizontal or Vertical configuration with anti-siphon protection, integral check valve and atmospheric vent.

Model 30CC Residential Wall Faucet

This Close Coupled version of the freezeless Model 30 fits within a 2 X 4 stud wall and drains automatically with or without an attached hose. Also available with a composite box, door and fascia.

Model 21, 24, 26 Series Commercial Wall Faucets

Choose No Anti-Siphon protection, Single Check Anti-Siphon or Double Check Backflow Protected Models. The 24 & 26 are available as individual units or protected inside lockable brass or lightweight modular box models.

Model MB221, MB224 & MB226 Commercial Wall Faucets

Never enter a building to shut off the water again. A convenient integral water supply stop is designed into the faucet head. A slotted valve stem can be turned with a flat head screwdriver to stop or resume water flow. These units are protected inside a strong, light weight (3.3 lbs) modular box and Stainless Steel Door and Fascia. A 1/2-14 FPT inlet connection projects through the side of the box.

Model C22CC, B22CC Commercial Hot & Cold

The chrome plated brass head looks great on any commercial building where hot and cold water service is required. This Backflow Protected close coupled faucet is available as an exposed head or chrome plated brass box model.

70 & 80 Series Close Coupled Commercial Wall Hydrants

Loose Tee Key operated rectangular, recessed and flush mounting chrome plated brass heads make these the heavy duty solution. The Model 75 and 79 features a 3/4" FPT 90° X 360° Swivel Inlet that fits inside a 4" wall. Choose single check anti-siphon or double check backflow preventer models. All hydrants are available with rectangular or round brass box and door.

STANDARD FEATURES

- 3/4" male hose thread nozzle
- EPDM Packing
- No lead solder on all solder joints
- MAX PRESSURE; 125 p.s.i.
- MAX TEMPERATURE; 120° F

Scan For Specifications, Installation and Troubleshooting



For information, please contact:

Mild Climate Wall Faucets Model / Specifications






MODEL	SPECIFICATIONS	INLET	FINISH	Shipping Wt. (Lbs)
101	<ul style="list-style-type: none"> ASSE 1019 Type C approved; UPC, cUPC Approved Anti-Siphon with integral check valve Round, powder coated, die cast aluminum handle 	C, CP, P, PX, CM	Rough Brass	0.8
122 (Horizontal) V122 (Vertical)	<ul style="list-style-type: none"> Hot & Cold connections ASSE 1019 Type C - Anti-Siphon with integral check valve with atmospheric vent Oval, powder coated, die cast aluminum handle 	C, CP, P, PX, CM	Rough Brass	2.8 2.9
21	<ul style="list-style-type: none"> Hose Nozzle - <i>No Anti-Siphon Protection</i> Std: Polycarbonate Wheel Handle & Tee Key Optional Metal Wheel Handle 	P1/2, P3/4 C, CP	Std: Chrome (CH) Opt: Rough Brass (BR) Polished Chrome (PC)	1.1
24	<ul style="list-style-type: none"> ASSE 1011 Nidel® Model 34HF Anti-Siphon Vacuum Breaker; IAPMO® Listed Std: Polycarbonate Wheel Handle & Tee Key Optional Metal Wheel Handle 	P1/2, P3/4 C, CP	Std: Chrome (CH) Opt: Rough Brass (BR) Polished Chrome (PC)	1.2
26	<ul style="list-style-type: none"> *ASSE 1052 Nidel® Model 50HF High Flow Double Check Backflow Preventer Std: Polycarbonate Wheel Handle & Tee Key; Optional Metal Wheel Handle 	P1/2, P3/4 C, CP	Std: Chrome (CH) Opt: Rough Brass (BR) Polished Chrome (PC)	1.3
B24	<ul style="list-style-type: none"> Model 24 with Brass Box & Door; Tee Key Lock 	1/2 FPT 3/4 FPT	Std: Chrome (CH) Opt: Rough Brass (BR) Polished Brass (PB)	13.0
B26	<ul style="list-style-type: none"> Model 26 with Brass Box & Door; Tee Key Lock 	1/2 FPT 3/4 FPT	Std: Chrome (CH) Opt: Rough Brass (BR) Polished Brass (PB)	14.6
MB24-1/2 MB24-3/4	<ul style="list-style-type: none"> Model 24 with Light weight Composite Box, Stainless Steel Door & Fascia Tee Key Lock 	P1/2, P3/4	Chrome	5.1 5.1
MB24-1/2-K MB24-3/4-K	<ul style="list-style-type: none"> Model 24 with Light weight Composite Box, Stainless Steel Door & Fascia Key Cylinder Lock 	P1/2, P3/4	Chrome	5.1 5.1
MB26-1/2 MB26-3/4	<ul style="list-style-type: none"> Model 26 with Light weight Composite Box, Stainless Steel Door & Fascia Tee Key Lock 	P1/2, P3/4	Chrome	5.2 5.2
MB26-1/2-K MB26-3/4-K	<ul style="list-style-type: none"> Model 26 with Light weight Composite Box, Stainless Steel Door & Fascia Key Cylinder Lock 	P1/2, P3/4	Chrome	5.2 5.2
30CC	<ul style="list-style-type: none"> ASSE 1053 Backflow Protected, Automatic Draining; UPC, cUPC Approved *ASSE 1052 Nidel® Model 50HA High Flow Double Check Backflow Preventer 	Std: C Opt. CP or PX	Rough Brass	2.2
MB221	<ul style="list-style-type: none"> Hose Nozzle - <i>No Anti-Siphon Protection</i> Integral Water Supply Stop in Head Light weight Composite Box, Stainless Steel Door & Fascia Tee Key Lock; Optional Cylinder Lock (K) 	1/2-14 FPT	Brass Components Composite Box, Stainless Steel Door & Fascia	6.4
MB224	<ul style="list-style-type: none"> ASSE 1011 Nidel® Model 34HF Anti-Siphon Vacuum Breaker; IAPMO® Listed 	1/2-14 FPT	Brass Components	6.4
MB226	<ul style="list-style-type: none"> *ASSE 1052 Nidel® Model 50HF High Flow Double Check Backflow Preventer 	1/2-14 FPT	Brass Components	6.5
C22CC	<ul style="list-style-type: none"> *ASSE 1052 Nidel® Model 50HF High Flow Double Check Backflow Preventer; Stainless steel seat - eliminates wire draw No lead solder on all solder joints Full circle operating threads on valve body and retainer Standard "O" size beveled seat washer Clear Lexan wheel handles (Tee key option available) Adjustable packing nut 5/16" solid brass valve stem Check valve on valve stem 	Std: C1 Opt. CP or PX	Std: Chrome (CH)	2.5
B22CC	<ul style="list-style-type: none"> C22CC with chrome plated cast brass box and door assembly Tee key door lock 	Std: C1 Opt. CP or PX	Std: Chrome (CH) Opt: Rough Brass (BR)	17.5



INLET OPTIONS

<p>C COMBINATION Copper Sweat Fitting 1/2" K, L or M Inside 3/4" M Only Outside</p> 	<p>C1 1/2" Female Sweat Fitting</p> 	<p>CM COMBINATION 1/2" Compression Fitting 1/2" Copper Sweat Fitting</p> 
<p>CP COMBINATION 1/2" Male Pipe Thread 1/2" Female Sweat</p> 	<p>PX 1/2" PEX Tube Fitting</p> 	
<p>P COMBINATION 1/2" Female Pipe Thread 3/4" Male Pipe Thread</p> 	<p>P-1/2 1/2" FPT Inlet P-3/4 3/4" FPT Inlet</p> 	

Mild Climate Wall Faucets Parts Lists / Rough-In Dimensions



MODEL 101, 122, V122		
ITEM	PART#	DESCRIPTION
1	30002	Handle Screw
2	30096	Wheel Handle (Metal)
3	30570	Packing Nut
4	30247	EPDM Packing
5	30105	Packing Support Washer
6	30824	Anti Turbulence Sleeve
7	30459	Check Valve
8	30571	Stem Screw
9	30008	Valve Seat Rubber
10	30009	Retainer Screw
11	30098	Adjustable Flange
12	RK-101VB	Vacuum Breaker Float Kit (101)
13	RK-122VB	Vacuum Breaker Float Kit (122, V122)
14	30559	Oval Metal Wheel Handle (122, V122)
15	30566	Plug Button-H-Red (122, V122)
16	30565	Plug Button-C-Blue (122, V122)
	RK-101	Repair Kit (Includes items 1-7, 9, 10, 12)
	RK-122	Repair Kit (Includes 2 each items 1, 3-7, 9, 10, 14) (1 each items 13, 15, 16)



MODEL 21, 24, 26, Y26		
ITEM	PART#	DESCRIPTION
1	30121	Handle Screw - Nickel
	30002	Handle Screw - Brass
2	30120	Wheel Handle - Clear
	30233	Wheel Handle - Tan
3	30109	Packing Nut - chrome
	30107	Packing Nut - Brass
4	30247	EPDM Packing
5	30105	Packing Support Washer
6	30104	Operating Stem
7	30008	Washer
8	30009	Washer Screw
9	55437	Hose Nozzle w/O-Ring - Chrome (21)
	55435	Hose Nozzle w/O-Ring - Brass (21)
10	34HF-CH	Vacuum Breaker - Chrome (24)
	34HF-BR	Vacuum Breaker - Brass (24)
11	50HF-CH	50HF Backflow Preventer - Chrome (26)
	50HF-BR	50HF Backflow Preventer - Brass (26)
12	50009	Tee Key
13	B24BX	Box/Flat Door Assy - Chrome
	B24BX-BR	Box/Flat Door Assy - Brass
	B24BX-PB	Box/Flat Door Assy - Polished Brass
	B26BX	Box/Bubble Door Assy - Chrome
	B26BX-BR	Box/Bubble Door Assy - Brass
	B26BX-PB	Box/ Bubble Door Assy - Polished Brass
	B26BX-AL	Box/ Bubble Door Assy - Anodized Alum
	RK-24	Chrome Repair Kit (Includes items 1-8)
	RK-H34	Brass Repair Kit (Includes items 1-8)


**Replaceable Stainless Steel Door & Fascia RK's
MB24, MB26 - MB221, MB224, MB226**

- Shipped in individual cartons
- Shipping Weight: 2 lbs-3 oz

RK-24MBDR	Includes Tee Key Lock
RK-24MBDR-K	Includes Key Cylinder Lock




Mild Climate Wall Faucets Parts Lists / Rough-In Dimensions




Model MB30BX
Thumb Latch

Model MB30BX-K
Cylinder Lock





MODEL MB221, MB224 & MB226 PARTS LIST

ITEM	PART#	DESCRIPTION
1	30002	Handle Screw - Brass
2	30233	Wheel Handle - Brown
3	30107	Packing Nut - Brass
4	30247	EPDM Packing
5	30105	Packing Support Washer
6	30104	Operating Stem
7	30008	Valve Seat Washer
8	30009	Washer Screw
9	30108	Stem Screw w/Screwdriver Slot
10	30151	Faucet/Fascia Mounting Screws (6)
11	55435	Hose Nozzle w/O-Ring (For MB221)
12	34HF-BR	34HF Vacuum Breaker - Brass (For MB224)
13	50HF-BR	50HF Backflow Preventer - Brass (For MB226)
14	50010	Tee Key
	RK-H34	Repair Kit (Includes 1 ea. Items 1-8)




MODEL 30CC PARTS LIST

ITEM	PART#	DESCRIPTION
1	30002	Handle Screw
2	30559	Wheel Handle
2a	50012	Tee Key - 8 Pt. Splines (Optional)
3	30059	Packing Nut
3a	30512	Packing Nut w/deep stem guard (Optional)
4	30264	Stem Screw
5	30105	Packing Washer
6	30263	1/2" Quad Cup Seal
7	30262	Drain Valve Body
8	30301	Operating Rod 1-7/16" Long
9	30260	Plunger Assembly
10	30261	Vent Cover Ring
11	50HA-BR	Backflow Preventer
	35550	Operating Rod Ass'y (Items 1-9) 5-1/16" Long
	RK-30	Repair Kit (Includes items 1-7 & 9)



MODEL C22 / B22 PARTS LIST

ITEM	PART#	DESCRIPTION
1	30463	Plug Button-H-Red (for plastic handle)
	30566	Plug Button-H-Red (for metal handle) Optional
2	30002	Handle Screw (2)
3	30542	Wheel Handle - Clear (2)
	30096	Wheel Handle - Metal (2) Optional
4	30539	Packing Nut - Chrome (2)
	30059	Packing Nut - Brass (2) Optional
5	30560	EPDM Packing (2)
6	30006	Packing Support Washer
7	30462	Plug Button-C-Blue (for plastic handle)
	30565	Plug Button-C-Blue (for metal handle)
8	35942	CC Valve Stem Assembly 3 5/8" O.A.L.
9	30459	Check Valve (2)
10	30008	Valve Seat Rubber (2)
11	30804	Retainer Screw (2)
12	50HA-CH	50HA Backflow Preventer - Chrome
	50HA-BR	50HA Backflow Preventer - Brass
13	50012	Tee Key
14	B22BX	Box/Door Assembly - Chrome
	RK-22MH	Repair Kit (Metal Handles) Includes 1 ea: Item 1, 7; 2 ea: Items 2 - 6, 9, 10, 11
		Brass Parts




Mild Climate Wall Faucets Model / Specifications




MODEL	SPECIFICATIONS	INLET	FINISH	Shipping Wt. (Lbs)
74 B74 RB74	<ul style="list-style-type: none"> • ASSE 1011 Nidel® Model 34HF Anti-Siphon Vacuum Breaker; IAPMO, CSA • Recessed brass wall casting with straight nozzle • B74 Rectangular Box & Door • RB74 Round Box & Door (Chrome Only) 	C, P Straight/Fixed		4.2 10.7 8.1
75 B75 RB75	<ul style="list-style-type: none"> • ASSE 1011 Nidel® Model 34HF Anti-Siphon Vacuum Breaker; IAPMO, CSA • Recessed brass wall casting with straight nozzle • B75 Rectangular Box & Door • RB75 Round Box & Door (Chrome Only) 	3/4" FPT 90° X 360° Swivel		3.1 11.0 9.1
84	<ul style="list-style-type: none"> • ASSE 1011 Nidel® Model 34HF Anti-Siphon Vacuum Breaker; IAPMO, CSA • Flush mount brass wall casting with angled nozzle • <i>Not available as box model</i> 	C, P Straight/Fixed	Std: Chrome Opt: Rough Brass (BR) Opt. Polished Brass (PB)	2.9
76 B76 RB76	<ul style="list-style-type: none"> • *ASSE 1052 Nidel® Model 50HF High Flow Double Check Backflow Preventer • Recessed brass wall casting with straight nozzle • B76 Rectangular Box & Door • RB76 Round Box & Door (Chrome Only) 	C, P Straight/Fixed	<u>NOTE: Round Box Models are Chrome Only</u>	3.4 10.5 8.4
79 B79 RB79	<ul style="list-style-type: none"> • *ASSE 1052 Nidel® Model 50HF High Flow Double Check Backflow Preventer • Recessed brass wall casting with straight nozzle • B79 Rectangular Box & Door • RB79 Round Box & Door (Chrome Only) 	3/4" FPT 90° X 360° Swivel		3.8 12.5 9.0
86	<ul style="list-style-type: none"> • *ASSE 1052 Nidel® Model 50HF High Flow Double Check Backflow Preventer • Flush mount brass wall casting with angled nozzle • <i>Not available as box model</i> 	C, P Straight/Fixed		2.8

Parts List / Rough-In Dimensions


MODEL 74, 75, 84 - 76, 79, 86		
ITEM	PART#	DESCRIPTION
1	50009	Tee Key
2	30109	Packing Nut - Chrome
	30107	Packing Nut - Brass
3	30247	Packing
4	55177	Head Nut Assembly - Chrome (74, 84, 76, 86)
5	55176	Head Nut Assembly - Brass (74, 84, 76, 86)
6	55183	Head Nut Assembly - Chrome (75, 79)
7	55182	Head Nut Assembly - Brass (75, 79)
8	55105	Yoke Nut & Valve Assembly
9	51049	Truss Head Screws (4)
10	50HF-CH	Backflow Preventer 2 Checks - Chrome (76, 79, 86)
	50HF-BR	Backflow Preventer 2 Checks - Brass (76, 79, 86)
11	34HF-CH	Vacuum Breaker - Chrome (74, 75, 84)
	34HF-BR	Vacuum Breaker - Brass (74, 75, 84)
12	74BX	Rectangular Box/Door Assembly
13	RB74BX	Round Box/Door Assembly
14	50010	Long Tee Key (Box Models)
	RK-71	Repair Kit (Includes Items 1, 2, 3, 4, 8)
	RK-75	Repair Kit (Includes Items 1, 2, 3, 6, 8)




74 or 76
P Inlet Shown
3/4" FPT




75 or 79
360° Swivel Inlet Shown
3/4" FPT




84 or 86
C Inlet Shown
3/4" Copper Sweat




B74-B76
B84-B86





B75-B79



RB74-RB76
RB84-RB86



RB75-RB79



Mild Climate Wall Faucets Information



NOTICE

- All faucets are intended For Irrigation and Outdoor Watering.
- All faucets are not recommended for continuous use.
- All specifications are subject to change without notice.

Visit our website for Patent Information, Individual Spec. Sheets, Installation and Troubleshooting Instructions
www.woodfordmfg.com or call 1-800-621-6032

Limited Warranty

All **residential** products are sold with a limited warranty for one year against defects in material and workmanship. We will replace or issue credit (at our option) for defective goods that are returned for inspection and found to be defective within one year of purchase from Woodford.

Limited 5 Year Warranty

All **commercial** products shown in this brochure are sold with a limited warranty for five years against defects in material and workmanship. We will replace or issue credit (at our option) for defective goods that are returned for inspection and found to be defective within five years of purchase from Woodford.

SL-24 Stem Lock Option



Vandal Resistant
Fits all 21, 24 & 26 models. Replace packing nut and snap on deep brass cylinder lock. Operate faucet with furnished Tee Key.

SL-17 Stem Lock Option



Vandal Resistant
Fits Model 30CC. Replace packing nut and snap on deep brass cylinder lock. Operate faucet with furnished Tee Key.

Cross-Over Models Also listed on separate Commercial products brochure



24-26

MB24-
MB26

MB224-MB226

B24-B26



Woodford Manufacturing Company, LLC.
2121 Waynoka Road
Colorado Springs, CO 80915 USA
800-621-6032
800-765-4115 (Fax)
sales@woodfordmfg.com
www.woodfordmfg.com

© Woodford Mfg. Co. 2013 Printed in the U.S.A.