


# WOODFORD

## YARD HYDRANTS

WATERING AMERICA SINCE 1929



WOODFORD



Excellence. *Always.*



# WOODFORD

## FREEZELESS YARD

### Y34 FREEZELESS YARD HYDRANT

*Look for the bright orange head!*




*1" Schedule 40 pipe*



- America's most reliable yard hydrant since 1929
- High quality materials and components
- Superior sealing plunger design reduces the possibility of leaks
- Reliable variable flow and locking capability
- Linkage design significantly lengthens life of packing
- Repairable from top (no need to remove hydrant from ground)
- Hot-dipped galvanized pipe (inside and outside) resists corrosion and lengthens hydrant life
- 3/4" female NPT connection; 1" Schedule 40 galvanized steel pipe casing
- 3/8" stainless steel operating pipe
- Made in USA
- Bury depth up to 10 feet

### Y34SS STAINLESS FREEZELESS YARD HYDRANT


- Designed for highly corrosive soil and water environments
- All the benefits of the Y34 combined with 304 premium-grade stainless steel pipe
- 3/8" stainless steel operating pipe



# WOODFORD


## HYDRANTS

### Y2 FREEZELESS YARD HYDRANT



- Similar features to Y34
- Includes high-flow, double-check, field-testable 50HF backflow preventer—ASSE 1052 listed
- Larger pipe: 1" female NPT connection; 1-1/4" Schedule 40 galvanized pipe casing
- Automatic draining with hose attached

### R34 FREEZELESS YARD HYDRANT



- Reliable Woodford quality yard hydrant for less
- Ideal for homeowners, gardeners, family farms, cabins or wherever remote water is needed
- Hot-dipped galvanized pipe resists corrosion
- Handle can be locked in the closed position with a commonly available padlock

# WOODFORD

## SANITARY YARD HYDRANTS FOR POTABLE WATER

### S3 FREEZELESS LOW LEAD, SANITARY



- Designed to produce water flow in sub-zero temperatures
- Hydrant is completely sealed to prevent ground water from entering service line or reservoir
- Lift handle to evacuate reservoir after each use

### S4H FREEZELESS LOW LEAD, SANITARY ADA



- Same as S3 with ADA-compliant handle

### THERMALINE HEATED, LOW LEAD, SANITARY WATER CONNECTOR



- Provides water flow in freezing conditions
- Two-foot, 15-watt portable insert heater prevents freezing
- Water connection under red cap
- Low electrical operating cost
- Wheel handle at surface shuts off water below frost line when hydrant is not in use

### H34 HEATED, LOW LEAD, SANITARY NON-DRAINING



- Includes heating element that prevents water in hydrant from freezing at temperatures down to 20 degrees below zero
- Includes high-flow double-check field-testable 50HF backflow preventer
- ASSE 1052 listed

WOODFORD



2121 Waynoka Road  
Colorado Springs, CO 80915  
719.574.1101  
[www.woodfordmfg.com](http://www.woodfordmfg.com)

Patented and Patents Pending  
Visit [woodfordmfg.com](http://woodfordmfg.com) for current pricing  
YardHydrants 5-21  
©Woodford Manufacturing Company, LLC. 2021  
Printed in U.S.A.

WOODFORD MANUFACTURING COMPANY, LLC  
Excellence. *Always.*

